

Ratio Options	1
2PD08	
1.40 Dec.	
1.34 Dec.	
1.23 Dec.	
1.13 Dec.	
1:1	
1.13 Inc.	
1.23 Inc.	
1.34 Inc.	
1.40 Inc.	
1.53 Inc.	


SAE Clutch Housing Options				2
SAE No.	Dim. A	Dim. B	Bolt Size & Qty.	
1	20.875	20.125	7/16-14 (12)	
2	18.375	17.625	3/8-16 (12)	
3	16.875	16.125	3/8-16 (12)	

SAE Clutch Options						3
Clutch No.	Dim. C	Dim. D	Dim. F	Dim. G	Bolt Size & Qty.	
SP214	18.375	17.250	11.56	1.00	(8) 17/32	
SP211	13.875	13.125	8.69	1.56	(8) 13/32	
SP114	18.375	17.250	8.69	1.00	(8) 17/32	
C111	13.875	13.125	8.69	1.56	(8) 13/32	
C110	12.375	11.625	8.69	2.12	(8) 13/32	

Pilot Bearing	
Std. Bearing No.	Dim. E
6407 ZZ	3.94
6307 ZZ	3.15
6207 ZZ	2.83

SAE Pump Pad Adapters					5	6
SAE Size	Bolt Size & Qty.	Bolt Circle	Pilot Dia.	Dim. H		
A	3/8-16 (2)	4.187	3.25	5.69		
B	1/2-13 (2)	5.750	4.00	5.69		
B	1/2-13 (4)	5.000	4.00	5.69		
C	5/8-11 (2)	7.125	5.00	5.69		
C	1/2-13 (4)	6.375	5.00	5.69		
D	3/4-10 (4)	9.000	6.00	5.69		
D2	3/4-10 (2)	9.000	6.00	5.81		
E	3/4-10 (4)	12.500	6.50	5.81		
F	1.00-8 (4)	13.781	7.00	6.19		

SAE Pump Spline Adapters		7	8
SAE Size	Teeth & Pitch		
A	9T-16/32		
B	13T-16/32		
BB	15T-16/32		
C	14T-12/24		
CC	17T-12/24		
D	13T-8/16		
F	15T-8/16		
21	21T-16/32		
23	23T-16/32		
27	27T-16/32		



NOTE:

- 1) REFER TO ASSEMBLY BOOK FOR ADAPTER MOD DRAWINGS.
- 2) LUBRICATE ALL ORINGS PRIOR TO INSTALLATION.
- 3) APPLY SILVER STREAK #200S TO EXTERNAL SPLINES OF INPUT SHAFT.
- 4) USE LOCTITE 609 WHEN INSTALLING EXP. PLUG, P/N 012043.
- 5) USE LOCTITE 609 WHEN INSTALLING DIPSTICK, AND DIPSTICK HOLE PLUG, P/N 012326.
- 6) DO NOT USE LOCTITE ON PUMP PAD SCREWS.
- 7) TIGHTEN 1/2" SCREWS: 105 FT. LBS.
- 8) TIGHTEN 5/8" SCREWS: 210 FT. LBS.
- 9) OIL MUST MEET API GL-5 SPEC: 80W90, EP90 OR EQUIVALENT.
- 10) WHEN ORDERING PARTS REFER TO THE DURST SERVICE MANUAL.

PATENT NO. 7,152,711

CAUTION

Always insure that your powertrain is free of torsional vibrations. DURST is not responsible for damage or failure due to unaddressed torsional vibrations.

REV	NO.	DATE	DESCRIPTION	BY	DATE
6	30214		DIM "F" FOR SP214 WAS 11.20	WEM	9/21/10
5	27525		ADDED 1:13 RATIOS	WEM	8/17/07
4	27445		REVISE NOTE 9, ADD PATENT NO.	WEM	6/5/07
3	25834		UPDATED SPLINE CHART	NJS	11/05/04
2	25724		UPDATED ITEM NUMBERS	NJS	9/24/04
1	24560		RELEASED TO PRODUCTION	NJS	8/19/04

MODEL	WHERE USED
	N/A

SCALE	THRU ANGLE PROJECT
1:2	

TITLE	PART NO.	SIZE
2PD08 CLUTCH CHARTED DRAWING	2PD08C	D

THIS PRINT IS CONFIDENTIAL AND IS THE PROPERTY OF DURST, DIV. REGAL-BELCOY CORP. THIS PRINT SHALL NOT BE USED, COPIED OR REPRODUCED IN WHOLE OR IN PART, NOR SHALL THE CONTENTS BE REVEALED IN ANY MANNER TO ANYONE UNLESS WRITTEN PERMISSION IS OBTAINED FROM DURST, DIV. REGAL-BELCOY CORP.

DURST
DIVISION OF REGAL-BELCOY CORP.
P.O. BOX 298
BELLEVILLE, MISSOURI 63811

AM/FM SEQUENCE NO.

FIRST I.O.F. 1